

SEARCHING

Exporting search results for screening, database by database

For anyone moving search results from a database into a screening tool or a reference manager.

By the end you will have each database's results in files, abstracts included, with counts that match the search.

Checked on 29 Sep 2026 · Version 1.0 · CC BY 4.0

Every database lets you take your results away as a file, and each does it a little differently. By the end of this guide you will have every record from each database in RIS or PubMed files, abstracts included, and a note of the count each search showed.

That count matters twice. It is the number you report for each database, and it is how you know a file is complete. An export can stop at a limit, or leave the abstracts behind, and neither is easy to see later.

Before you start

- Run your final search in each database and keep it open.
- Start a search log with one row per database, as in Table 1. A blank one to print follows “Check your work”.
- Name each database with its platform. PRISMA-S item 1 asks you to “Name each individual database searched, stating the platform for each”. APA PsycInfo on Ovid and APA PsycInfo on EBSCOhost are two different searches.
- If the platform offers a personal account, sign in to it. Several of the larger exports below need one.

Table 1. A search log, one row per database (illustrative entries)

Database (platform)	Date searched	Results shown	Records exported	File names	Records read on import
PubMed	29 Sep 2026	1,284	1,284	pubmed-2026-09-29.nbib	1,284
APA PsycInfo (Ovid)	29 Sep 2026	2,310	1,000 + 1,000 + 310	psycinfo-ovid-1.ris to -3.ris	2,310

Write down the count before you export

The number a database shows for your final search is the number of records identified from that database. It goes into the flow diagram's box "Records identified from*: Databases (n =)", whose footnote suggests one number for each database rather than a total. PRISMA-S item 15 asks you to "Document the total number of records identified from each database and other information sources", and item 13 asks for "the date when the last search occurred".

Keep the strategy itself as well. PRISMA-S item 8 asks for the search strategies "copied and pasted exactly as run". Ovid can put the search history inside the export file. For PubMed and the Cochrane Library, save it separately, as their sections below show.

Choose RIS, with the abstract

Choose RIS wherever it is offered. It is a plain-text format made for moving references between programs, and every platform in this guide exports it except PubMed. PubMed has its own tagged format, the PubMed format, which comes as an .nbib or .txt file.

Screening needs the abstract, and several platforms let you leave it out. Look for the setting as you export:

- Ovid: choose a set of fields that includes the abstract.
- EBSCOhost: tick "Include abstract", or choose fields that include it.
- Scopus: tick "Abstract and Keywords".
- Web of Science: choose "Full Record" rather than "Fast 5000", which carries only author, title and source.
- Embase.com: choose "Citations and Abstracts" or a fuller option.
- Cochrane Library: leave "Include abstract" ticked.
- ProQuest: choose to include the available abstracts.

Then open one file in a text editor and find an abstract in it.

Export in batches under each limit

Each platform caps the number of records in one export. Table 2 gives each cap with the date of the page it comes from.

Table 2. Export limits by database (checked 29 Sep 2026)

Platform	Route	Records per export	Conditions	Vendor page (dated)
PubMed	“Save” or “Send to” › “Citation manager”	10,000	None	PubMed User Guide (24 Sep 2026)
Ovid	Export, as RIS	not stated	Ovid’s help page gives no maximum	Ovid Help, “Exporting Results” (version 04.08.00)
EBSCOhost	“Export results (Up to 25,000)”	25,000	Only if enabled for your institution; signed in to MyEBSCO; 20 exports and 100,000 results in 24 hours	EBSCO Connect (1 Sep 2026)
EBSCOhost	Records selected on the result list	50, or 500	500 when signed in to MyEBSCO	EBSCO Connect (3 Sep 2026)
Scopus	“Export”	20,000	Sign in to Scopus to export	Scopus Support (21 Apr 2026)
Web of Science	“Export”, “Full Record”	1,000	500 when cited references are included	Clarivate Support, article 000313597 (undated)
Embase.com	“Export”	10,000, or 500	10,000 for registered users, 500 for anonymous users	Embase Support (30 Sep 2023)
Cochrane Library	“Export”	20,000	Per search; CENTRAL records need a subscription	Cochrane Library help (undated)
ProQuest	“Export Results”	20,000	Enabled by your library; signed in to My Research; ten exports a day	ProQuest Help (undated)

When a search is larger than the cap, split it and export each part:

- **By date.** PubMed, the Cochrane Library and ProQuest each suggest splitting a large result by date. Run the same search for, say, up to 2015 and from 2016 on.
- **In blocks.** Otherwise export the records in blocks no larger than the cap, one after another, and number the files.

Write each part's count in the log. The parts should add up to the count the database showed.

Export from each database

PubMed

1. Note the number of results and the date.
2. Choose "Save", then "All results" and the format "PubMed", then "Create file". Or choose "Send to", then "Citation manager" and "All results", then "Create file", which gives an .nbib file. Both stop at 10,000.
3. Over 10,000, the PubMed User Guide says to "Divide the result set into smaller chunks using the results timeline or custom date range filter", then export each part.
4. On the Advanced Search page, "Download" saves your search history as a CSV file. PubMed keeps only "the last 100 searches" and the history "expires after 8 hours of inactivity", so download it the day you search.

Ovid

1. Note the count on your final line and the date.
2. Select the results and export them as RIS, with a set of fields that includes the abstract. Ovid can include the search history in the export, so ask for it: the strategy then travels in the same file as the records, which is what PRISMA-S item 8 needs.
3. Ovid's help page gives no maximum per export. Export in blocks of 1,000 records (1–1000, then 1001–2000) and check each file's count.

EBSCOhost

This covers APA PsycInfo, CINAHL and the other databases on EBSCOhost.

1. Note the count and the date.
2. If EBSCO has enabled it for your institution, the menu at the top of the result list offers "Export results (Up to 25,000)". You must be signed in to MyEBSCO. Choose the export format for your

screening tool, and EBSCO emails you a link to the file. The link works for 7 days.

3. Records from APA PsycTests are not included in these bulk exports. EBSCO also says the number “may be lower depending on your institution’s permissions, duplicates, and database restrictions”, so compare the file with your count.
4. Without the bulk option, select up to 50 records on the result list, or 500 when signed in. “Download” offers a “Range” of 500 and an “Include abstract” box. “Cite”, then “Export citation”, then “Export in RIS format” gives a RIS file.

Scopus

1. Note the count and the date.
2. Select the documents and choose “Export”. Scopus asks you to sign in. Choose RIS, and tick “Abstract and Keywords” as well as “Citation information”.
3. One export holds up to 20,000 items. Over that, split the search by date.

Web of Science

1. Note the count, the date and which indexes you searched. PRISMA-S item 2 asks you to list “all of the databases searched” on a single platform.
2. Choose “Export”, then “RIS (other reference software)”, with “Full Record” as the content.
3. Up to 1,000 records go out at a time, or 500 when cited references are included. “Fast 5000” exports 5,000 at a time “with only Author, Title and Source fields”, so it has no abstracts.

Embase

1. Note the count and the date.
2. On Embase.com, select the results and choose “Export”. Choose RIS and “Citations and Abstracts”.
3. Registered users can export 10,000 records at a time. Anonymous users can export 500, so sign in first.

Cochrane Library

1. Note the count and the date.
2. Choose “Select all”, then “Export” and “RIS (EndNote)”. Leave “Include abstract” ticked, then “Download”.
3. One search exports up to 20,000 records. Above that, the help page says to “limit your results by date”.

4. Exporting CENTRAL (trials) records needs a subscription: “citation export options display only when a user has a subscription to the Cochrane Library”.
5. For your strategy with its counts, use “Print” in Search Manager. The Strategy Library’s “Export” gives “a text version of your saved strategy without counts”.

ProQuest

1. Note the count and the date. When several databases are searched together, ProQuest includes duplicates by default, unless you or your library have changed that setting. Write in your log whether “Exclude duplicate documents” was ticked.
2. If your library has enabled it, “Export Results” appears at the top left of the results when you are signed in to My Research and the search holds 20,000 results or fewer. Choose RIS and include the available abstracts. ProQuest asks you to agree to its terms and conditions, then places the file in “Saved Searches” in My Research.
3. It exports the whole result set only, and you can use it ten times a day. Over 20,000, ProQuest suggests you “break your query into separate date ranges”.
4. Some databases do not support it, among them APA PsycARTICLES, PsycBOOKS, PsycEXTRA and PsycTESTS. Deselect them on the “Select Databases” page and run the search again.
5. Without the feature, add results to “Selected items” and use “Export/Save as file” in smaller batches. ProQuest’s help pages give no number for this route.

Check your work

- Each file holds the count the database showed, or its parts add up to it.
- One record in each file has its abstract.
- Each file name says the database, the platform and the date.
- The log has a row for every database, with its date and the search as run.

To count the records in a file, search it in a text editor. In RIS, each record begins with a TY line; in the PubMed format, each begins with a PMID line.

When a file holds fewer records than the search, the vendors’ pages give these reasons: a cap that cut the export short; records a platform leaves out, such as APA PsycTests records in EBSCOhost’s

bulk exports; and, for those bulk exports, duplicates and your institution's permissions. Export again in smaller parts, and note what you did.

One row for each database. PRISMA-S items 1, 13 and 15: each database with its platform, the date of the search, and the number of records.

[illegible]

evensift.com/guides/export/ · Checked on 29 Sep 2026

Writing it up

Searches were run in [database (platform)], [database (platform)] and [database (platform)] on [date]. Results were exported with their abstracts as RIS files (PubMed format for PubMed), in parts where a platform's export limit required it, and the number of records in each file was checked against the number of results each database showed. The full strategies, as run, and the number of records from each database are in Supplement [n].

Reading on

- The PRISMA 2020 flow diagram: counting every box
- Removing duplicates, with a record of each one
- PRISMA-S: reporting literature searches in systematic reviews (pmc.ncbi.nlm.nih.gov/articles/PMC7839230/)

Sources

1. National Library of Medicine. PubMed User Guide (last updated 24 Sep 2026). <https://pubmed.ncbi.nlm.nih.gov/help/>, checked 29 Sep 2026.
2. Ovid Technologies. Ovid Help: Exporting Results, version 04.08.00. <https://site.ovid.com/site/help/documentation/osp/en/Content/export.htm>, checked 29 Sep 2026.
3. EBSCO. Exporting up to 25,000 Results on EBSCO User Interfaces (1 Sep 2026). <https://connect.ebsco.com/s/article/Exporting-up-to-25-000-Results>, checked 29 Sep 2026.
4. EBSCO. Managing Multiple Results in EBSCO User Interfaces (3 Sep 2026). <https://connect.ebsco.com/s/article/Managing-Multiple-Results-in-the-New-EBSCO-User-Interfaces>, checked 29 Sep 2026.
5. EBSCO. Exporting EBSCO Citations to EndNote: FAQs (23 Jul 2026). <https://connect.ebsco.com/s/article/Exporting-EBSCO-Citations-to-EndNote-FAQs>, checked 29 Sep 2026.
6. Elsevier. Embase: How do I export my search results? (updated 30 Sep 2023). <https://www.elsevier.support/embase/answer/how-do-i-export-my-search-results>, checked 29 Sep 2026.
7. Elsevier. Scopus: How do I export documents from Scopus? (updated 21 Apr 2026). <https://www.elsevier.support/scopus/answer/how-do-i-export-documents-from-scopus>, checked 29 Sep 2026.
8. Clarivate. Web of Science: Limit on exporting (article 000313597). <https://supportcenter.clarivate.com/s/article/Web-of-Science-Limit-on-exporting>, checked 29 Sep 2026.
9. Cochrane Library. Exporting search results. <https://www.cochranelibrary.com/help/exporting-search-results>, checked 29 Sep 2026.
10. Cochrane Library. Search Manager help. <https://www.cochranelibrary.com/search-manager-help>, checked 29 Sep 2026.
11. ProQuest. Help: Export Results; Results Page Options; Selected Items. https://www.proquest.com/help/academic/Export_Results.html, https://www.proquest.com/help/academic/Search_Results.html and https://www.proquest.com/help/academic/selected_items.html, checked 29 Sep 2026.
12. Clarivate. Search Results Export for Systematic Reviews (ProQuest, article 000034361). <https://supportcenter.clarivate.com/s/article/Search-Results-Export-for-Systematic-Reviews>, checked 29 Sep 2026.
13. Rethlefsen ML, Kirtley S, Waffenschmidt S, et al. PRISMA-S: an extension to the PRISMA statement for reporting literature searches in systematic reviews. *Syst Rev* 2021;10:39. Items 1, 2, 8, 13 and 15. <https://pmc.ncbi.nlm.nih.gov/articles/PMC7839230/>, checked 29 Sep 2026.
14. Page MJ, McKenzie JE, Bossuyt PM, et al. The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. *BMJ* 2021;372:n71. Flow diagram template. CC BY 4.0. <https://doi.org/10.1136/bmj.n71>, checked 29 Sep 2026.

PubMed, Ovid, EBSCOhost, APA PsycInfo, CINAHL, Embase, Scopus, Web of Science, Cochrane Library, ProQuest and EndNote are trade marks of their respective owners. This guide is independent: Evensift is not affiliated with, sponsored or endorsed by any of them.

Cite this guide. Evensift. Exporting search results for screening, database by database. Evensift guides, version 1.0, 29 Sep 2026. <https://evensift.com/guides/export/>

Licence. © 2026 Evensift. This guide is licensed under CC BY 4.0 (creativecommons.org/licenses/by/4.0/). You may copy it, adapt it and host it, including in a library guide, if you credit it, link to the licence and to this page, and say what you changed. The Evensift name and mark are not covered by the licence. Quoted material keeps its own terms: PRISMA 2020 items and box labels are CC BY 4.0 (Page et al. 2021); quotations from the Cochrane Handbook and the JBI Manual are short and attributed, and are not relicensed here.

The closing line about Evensift and the independence paragraph are not covered by this licence; adaptations should leave them out. The method content is CC BY 4.0.

Version 1.0 · 29 Sep 2026 · What changed: First publication. The latest version is always at <https://evensift.com/guides/export/>. If something here no longer matches what you see, write to hello@evensift.com. Corrections are made within 7 days, with a dated note at the foot of this page.

Evensift reads RIS and PubMed files, checks each one against the number of results you type in, and notices when the abstracts are missing. It is free and needs no account.

